



WMI 39-700K



Steel Coil Width = 914 mm. (G550)

Roofing & Siding Type/หลังคา & ผนัง

WMI 39-700K

Klip-Lock System

| Thickness | Weight | | Moment of Inertia | Section modulus | Load on Span (Kg/M ² / 3° Slope) | | | | | | | | |
|-----------|--------|-------------------|-------------------------|-------------------------|---|--------|--------|--------|--------|--------|--------|--------|--------|
| (mm.) | Kg/m | Kg/m ² | IX (cm ⁴ /m) | SX (cm ³ /m) | 1.00 m | 1.25 m | 1.50 m | 1.75 m | 2.00 m | 2.25 m | 2.50 m | 2.75 m | 3.00 m |
| 0.42 | 3.16 | 4.51 | 10.69 | 3.80 | 451 | 229 | 131 | 81 | 52 | 35 | 25 | 17 | 12 |
| 0.45 | 3.38 | 4.83 | 11.46 | 4.07 | 484 | 245 | 140 | 86 | 56 | 38 | 26 | 19 | 13 |
| 0.48 | 3.59 | 5.13 | 12.21 | 4.34 | 516 | 261 | 149 | 92 | 60 | 41 | 28 | 20 | 14 |
| 0.50 | 3.74 | 5.34 | 12.73 | 4.53 | 538 | 273 | 156 | 96 | 62 | 42 | 29 | 21 | 15 |
| 0.60 | 4.46 | 6.37 | 15.26 | 5.44 | 645 | 327 | 186 | 115 | 75 | 51 | 35 | 25 | 18 |

Note: Load on Span ที่ความลาดเอียงของหลังคาต่ำสุด (minimum slope), Factor ที่ใช้คำนวณ: Wind load, Light load